UNITED STATES DEPARTMENT OF COMMERCE



National Oceanic Atmospheric Administration National Marine Fisheries Service Sustainable Fisheries Division 7600 Sand Point Way N. E., Building. 1, Bin C15700 Seattle, WA 98115-0070

DATE: July 11, 2005

TO: DISTRIBUTION

FROM: F/NWR2 -Becky Renko

SUBJECT: PRELIMINARY Report #3 -- 2005 Pacific Whiting Fishery

This report consolidates preliminary state, federal, and tribal data for the 2005 Pacific whiting fishery (whiting) off Washington, Oregon, and California. Due to concerns about the incidental catch of overfished species, bycatch limits are in place for canary (4.7 mt) and widow rockfish (200 mt) taken in the non-tribal sectors of the fishery. If either bycatch limit is reached, the primary whiting seasons for the non-tribal fisheries will end regardless of the amount of whiting allocation remaining.

	Allocation		Whiting Catch*	Canary &			Percent of
	Percentages	Metric Tons	(mt)	Widow catch (mt)	Thru [date]	Status	allocation taken
California (south of 42 N lat.)	(5% shore alloc'n; included in WOC shore allocation)	4,873	3,826			CA season started 4/1, 5% alloc'n	
Oregon		NA	17,025				
Washington		NA	7,978				
WOC shore-based	42% commercial OY	97,469	28,829	Canary -0.3 Widow-22.7	7/8	started 6/15	29.6%
Mothership (n. of 42 N. lat.)	24% commercial OY	55,696	37,659	Canary-0.7 Widow-35.2	7/8	started 5/15	67.6%
Catcher/processor (n. of 42 N. lat.)	34% commercial OY	78,903	40,857	Canary-0.3 Widow-39.7	7/8	started 5/15	51.8%
Total nontribal	commercial OY	232,069	107,345	Canary -1.3 Widow-97.6			46.3%
Tribal (Makah)		35,000	16,210	Canary -0.4 Widow-1.2	7/8	started 5/1	46.3%
Total directed fishing		267,069	123,555	Canary -1.7 Widow-98.8			46.3%
Other (research & incidential catch in non-groundfish fisheries)		2,000	unknown at this time				
Total	OY=optimum yield	269,069					

^{*} Catch includes discards from at-sea processors; weigh-backs from shore-based catcher vessels; and small amounts landed under the trip limit prior to the season. The data for at-sea processing sectors are based on preliminary NMFS observer data. Data for shore-based processors are provided by the States. Data for the at-sea processing portion of the Makah fishery are based on preliminary NMFS observers data and shore-based catch was provided by tribal samplers. All weights are in metric ton (2,204.6 pounds).

